

References: Prehospital Pain Management for Adults, Children, and Special Populations

1. Adalgais KM, Brown K. Pediatric prehospital pain management: Impact of advocacy and research. *Pediatric Prehospital Pain Management*. 2014;14(1):49-58. doi: 10.1016/j.cpem.2014.01.005.
2. Albany Medical Center. EMS Beat - Albany Med Outreach Newsletter. https://medped.amc.edu/Academic/EMS/documents/EMS_news_Winter09_PROOF2_2.pdf. Published January 5, 2009.
3. Albrecht E, Taffe P, Yersin B, Schoettker P, Decosterd I, Hugli O. Undertreatment of acute pain (oligoanalgesia) and medical practice variation in prehospital analgesia of adult trauma patients: A 10 yr retrospective study. *Brit J Anaesth*. 2013;110(1):96-106. doi: 10.1093/bja/aes355.
4. Alonso-Serra HM, Wesley K, for the National Association of EMS Physicians Standards and Clinical Practices Committee. Position Paper – Prehospital pain management. *Prehosp Emerg Care*. 2003;7(4):482-488. doi: 10.1197/S1090-3127(03)00226-0.
5. American College of Emergency Physicians. EMS Subspecialty Certification Review Course. <http://www.naemsp.org/Documents/CRC/2015%20CRC%20Handouts-Dallas/0018%203.1%20QualityImprovementPrograms.pdf>.
6. American College of Emergency Physicians Policy Statement. Out-of-hospital use of analgesia and sedation. *Ann Emerg Med*. 2016;67:305-306
7. Beaudoin FL, Lin C, Guan W, Merchant RC. Low-dose ketamine improves pain relief in patients' receiving intravenous opioids for acute pain in the emergency department: Results of a randomized, double-blind, clinical trial. *Acad Emerg Med*. 2014;21:1194–1202. doi:10.1111/acem.1251010.1111/acem.12510
8. Berben SAA, Meijis THJM, van Grunsven PM, Schoonhoven L, van eAchterberg T. Facilitators and barriers in pain management for trauma patients in the chain of emergency care. *Injury*. 2012;43(9):1397-1402. doi: 10.1016/j.injury.2011.01.029.
9. Browne LR, Studnek JR, Shah MI, Brousseau DC, Guse CE, Lerner B. Prehospital opioid administration in the emergency care of injured children. *Prehosp Emerg Care*. 2016;20:59-65. doi: 10.3109/10903127.2015.1056897
10. Cone DC, Brice JH, Delbridge TR, Myers JB. *Emergency Medical Services: Clinical Practice and Systems Oversight*. 2nd Edition. West Sussex, United Kingdom; 2015:382-383,470-476.
11. Deitrich AM, Shaner S. *Pediatric Trauma Life Support for Prehospital Care Providers*. 3rd Edition. Downers Grove, IL; 2009:163.
12. Ducasse JL, Siksik G, Durand-Bechu M, et al. Nitrous oxide for early analgesia in the emergency setting: A randomized, double-blind multicenter prehospital trial. *Acad Emerg Med*. 2013;20(2):178-184. doi: 10.1111/acem.12072.
13. Faddy SC, Garlick SR. A systematic review of the safety of analgesia with 50% nitrous oxide: Can lay responders use analgesic gases in the prehospital setting? *Emerg Med J*. 2005;22(12):901-908. doi: 10.1136/emj.2004.020891.
14. Fein JA, Zempsky WT, Cravero JP, et al. Relief of pain and anxiety in pediatric patients in emergency medical systems. *Pediatrics*. 2012;130(5):e1391-e1405. doi: 10.1542/peds.2012-2536.
15. French SC, Chan SB, Ramaker J. Education On prehospital pain management: A follow-up study. *West J Emerg Med*. 2013;14(2):96-102. doi: 10.5811/westjem.2012.7.6678.
16. Galinski M, Ruscev M, Gonzalez G, et al. Prevalence and management of acute pain in prehospital emergency medicine. *Prehosp Emerg Care*. 2010;14(3):334-339. doi: 10.3109/10903121003760218.
17. Gausche-Hill M, Brown KM, Oliver ZJ, et al. An evidence-based guideline for prehospital analgesia in trauma. *Prehosp Emerg Care*. 2014;18(1):25-34. doi: 10.3109/10903127.2013.844873.

References: Prehospital Pain Management for Adults, Children, and Special Populations

18. Heffernan Rominger A, Smith MJ, Stevenson MD. Emergency medical services system utilization over the last 10 years: What predicts transport of children? *Pediatr Emerg Care*. 2015;31(5):321-326. doi: 10.1097/PEC.0000000000000419.
19. Houston Fire Department. Patient Care Guidelines and Standing Orders for BLS and ALS Units - 2011. <http://www.hfdmd.org/HFDProtocols5-1-14.pdf>. Published October 1, 2012.
20. Hudson Valley Regional EMS Council. Collaborative New York Protocols – 2012. <http://hvremSCO.org/wp-content/uploads/2013/10/Collaborative-Protocols-Hudson-Valley-Rollout-2014.pdf>. Published 2012.
21. Ismail AK, Abdul Ghafar MA, Shamsuddin NA, Roslan NA, Kaharuddin H, Nik Muhamad NA. The assessment of acute pain in pre-hospital care using verbal numerical rating and visual analogue scales. *J Emerg Med*. 2015;49(3):287-293. doi: 10.1016/j.jemermed.2015.02.043.
22. Kanowitz A, Dunn TM, Kanowitz EM, Dunn WW, VanBuskirk K. Safety and effectiveness of gentanyl administration for prehospital pain management. *Prehosp Emerg Care*. 2006;10(1):1-7. doi: 10.1080/10903120500373264.
23. Kim MK. Pediatric Prehospital Pain Management: the ED perspective. Presented at: Emergency Medicine Symposium; October 3, 2008. <http://www.slideserve.com/phyllis/pediatric-prehospital-pain-management-the-ed-perspective>.
24. Lord, B. The assessment of pain in paramedic practice. <https://emsreference.com/articles/article/assessment-pain-paramedc-practice-0>. Published May 29, 2015. Accessed June 22, 2015.
25. Lord, B. Top 10 things to know about acute pain management. <https://emsreference.com/articles/article/top-10-things-know-about--cute-pain-management>. Published June 30, 2015. Accessed September 1, 2015.
26. Lord B, Bendall J, Reinten T. The influence of paramedic and patient gender on the administration of analgesics in the out-of-hospital setting. *Prehosp Emerg Care*. 2014;18(2):195-200. doi: 10.3109/10903127.2013.856502.
27. Manterola C, Vial M, Moraga J, Astudillo P. Analgesia in patients with acute abdominal pain (Review). *The Cochrane Collaboration*. 2007;3. doi: 10.1002/14651858.CD005660.pub2.
28. Manterola C, Vial M, Moraga J, Astudillo P. Analgesia in patients with acute abdominal pain (Review). *The Cochrane Collaboration*. 2011;1. doi: 10.1002/14651858.CD005660.pub3.
29. Maryland Institute for Emergency Medical Services Systems. The Maryland Medical Protocols for Emergency Medical Services Providers. Published July, 2014. *****
30. Middleton PM, Simpson PM, Sinclair G, Dobbins TA, Bendall JC. Effectiveness of morphine, fentanyl, and methoxyflurane in the prehospital setting. *Prehosp Emerg Care*. 2010;14(4):439-447. doi: 10.3109/10903127.2010.497896.
31. Motov S, Rockoff B, Cohen V, Pushkar I, Likourezos A, et al. Intravenous subdissociative-dose ketamine versus morphine for analgesia in the emergency department: A randomized controlled trial. *Ann Emerg Med*. 2015; Sep;66(3):222-229.e1. doi: 10.1016/j.annemergmed.2015.03.004.
32. Murphy A, McCoy S, O'Reilly K, Fogarty E, Dietz J, Crispino G, et al. A prevalence and management study of acute pain in children attending emergency departments by ambulance. *Prehosp Emerg Care*. 2016;20:52-58. doi:10.3109/10903127.2015.1037478
33. National Association of State EMS Officials. Prehospital Protocol for the Management of Acute Traumatic Pain.

References: Prehospital Pain Management for Adults, Children, and Special Populations

- https://www.nasemso.org/Projects/ImplementationOfEBG/documents/ManagementofAcuteTraumaticPain_PPT.pdf.
34. National Highway Traffic Safety Administration, Health Resources and Services Administration, American College of Emergency Physicians. Strategy for a National EMS Culture of Safety. <http://www.emscultureofsafety.org/wp-content/uploads/2013/10/Strategy-for-a-National-EMS-Culture-of-Safety-10-03-13.pdf>. Published October 3, 2013.
 35. Nelson CE, Selbst SM. Electronic prescription writing errors in the pediatric emergency department. *Pediatr Emerg Care*. 2015;31(5):368-372. doi: 10.1097/PEC.0000000000000428.
 36. Patrick SW, Dudley J, Martin PR, et al. Prescription opioid epidemic and infant outcomes. *Pediatr*. 2015;135(5):842-850. doi: 10.1542/peds.2014-3299.
 37. *Pediatric Education for Prehospital Professionals*. 3rd Edition. Burlington, MA: Jones & Bartlett Learning; 2014:22-24,95,137,154-155.
 38. Platts-Mills TF, Hunold KM, Weaver MA, et al. Pain treatment for older adults during prehospital emergency care: Variation by patient gender and pain severity. *J Pain*. 2013;14(9):966-974. doi: 10.1016/j.jpain.2013.03.014.
 39. Pollak AN. *Critical Care Transport*. 1st Edition. Burlington, MA: Jones & Bartlett Learning; 2011:214-215,456-457.
 40. Rutkowska A, Skotnicka-Klonowicz G. Prehospital pain management in children with traumatic injuries. *Pediatr Emerg Care*. 2015;31(5):317-320. doi: 10.1097/PEC.0000000000000313.
 41. Samuel N, Steiner IP, Shavit I. Prehospital pain management of injured children: a systematic review of current evidence. *Am J Emerg Med*. 2015;33(3):451-454. doi: 10.1016/j.ajem.2014.12.012.
 42. Schmitz G, Goode H, Hess L, King K, Sparkman M. Use of nitrous oxide in the emergency department: A review of the literature. *Emerg Med: Open Access*. 2013;3(3). doi: 10.4172/2165-7548.1000e131.
 43. Svenson JE, Abernathy MK. Ketamine for prehospital use: New look at an old drug. *Am J Emerg Med*. 2007;25(8):977-980. doi: 10.1016/j.ajem.2007.02.040.
 44. The Joint Commission. Ambulatory Care National Patient Safety Goals – 2016. http://www.jointcommission.org/standards_information/npsgs.aspx. Published November 5, 2015.
 45. Walsh B, Cone DC, Meyer EM, Larkin GL. Paramedic attitudes regarding prehospital analgesia. *Prehosp Emerg Care*. 2013;17(1):78-87. doi: 10.3109/10903127.2012.717167.
 46. Weber A, Dwyer T, Mummery K. Morphine administration by paramedics: An application of the theory of planned behaviour. *Injury*. 2012;43(9):1393-1396. doi: 10.1016/j.injury.2010.12.006.
 47. Wright JL. Implementation of an Evidence-Based Guideline for Prehospital Pain Management. Presented at: EMS Today Conference; March 9, 2013; Washington, DC. <http://www.nasemso.org/documents/EMS-Today-Wright-EBG-Presentation-030913.pdf>.
 48. Yadav K, Chamberlain JM, Lewis VR, et al. Designing real-time decision support for trauma resuscitations. *Acad Emerg Med*. 2015;22(9):1076-1084. doi: 10.1111/acem.12747.